

1991

INFRA[®]


Ranggelee

multi layer water storage tanks in various colours



Water. Whenever you need it.

A composition of Triple Layer Storage Tank.



An Architect's Imagination. An Engineer's Precision.

Infra leads the race again with RANGEELEE - color water storage tanks. These tanks are created using the world's finest resin having the best ESCR (Environmental Stress-Crack Resistant) Properties. They are also lightweight and sturdy like every Infra water tank and can endure the harshest of weathers, year after year. Whether you're an architect, designer, engineer or a householder you'll find the perfect color and shade for your lifestyle and homes.

Food Grade Safe :

Infra Color Plastic Water Tank confirms to internationally recognized FDA norms and is best suitable for storage of drinking water




UV Protection, Prevents Algae :

Manufactured with world-class virgin polyethylene, helps to resist UV rays and discourages growth of algae thus ensuring maximum protection to potable water

Strong, Leak Proof and Zero Rusting :

A single piece seamless construction makes it strong and leak proof. Complete polyethylene body assures zero rusting and long usage period.





Quick Inspection and Easy Maintenance :
White layer inside enables quick inspection of water quality and level with sizeable manhole to help easy maintenance

Choose Your Color :

Select from a mood-brightening range of colors to match with your building's exterior finish and roofing tiles.




Easy to Handle :

INFRA COLOR PLASTIC TANK being light weight makes handling, transportation and installation easy.


Handling & Installation Guidance

① Handling, Lifting & Hoisting




- Lift / Loading in proper manner

② Base Support



- MUST sit flat / even surface and be uniformly supported at its whole base area.

③ Joints & Connections



- Ensure all pipes connected to the tank are well supported and properly aligned.
- Drill the tanks by appropriate drilling tools and not by inserting hot pipe.

Capacity & Dimension

Capacity Ltrs.	Diameter mm.	Height mm.	Manhole mm.
500	800	1040	400
750	800	1490	400
750	1000	1025	400
1000	1075	1240	400
1500	1230	1460	400
2000	1310	1630	400
3000	1545	1820	480
5000	1910	2100	480
7500	1990	2600	480
10000	2185	2815	480
15000	2520	3210	480
20000	2520	4240	480



INFRA®

BUILDING & INDUSTRIAL PRODUCT DIVISION

Head Office & Marketing : MUMBAI

Dhiraj Chambers, 7th Floor, 9, Hazarimal Somani Marg, Mumbai - 400 001.

Tel. : +91-22-3294 6372 | Fax : +91-22-6634 8601

CHENNAI

38/44 Veerabhadra Iyer Street, Nungambakkam, Chennai - 600 034. Tamil Nadu.

Tel. : +91-44-3294 6372 | Fax : +91-44-2823 4825

HUBLI

A.M.Shirur Compound, Survey No. 21 A, Next to Koliwad Granite Factory, Hubli, Karnataka.

Tel. : +91-836-3294 637

KERALA

Tel. : +91 93823 39758

ANDHRA PRADESH

Tel. : +91-836-3294 6372

Factories at : Khopoli (Maharashtra), Chengalpet (Tamil Nadu), Hubli (Karnataka)

www.infra.co.in | mktg@infra.co.in

Water. Whenever You Need it.



1991®

INFRA
PLASTIC TANKS

ISO 9001:2015
Certified Company



INFRA VERTICAL CYLINDRICAL WATER STORAGE TANKS • DWIT / WIT SERIES

Code	Capacity (Ltrs.)	Diameter		Height		Manhole	
		mm	inch	mm	inch	mm	inch
DWIT-30-1	300	735	29.50	770	30.50	400	15.75
DWIT-50-1	500	790	31.50	1025	40.50	400	15.75
DWIT-50-2	500	990	39.00	750	30.00	400	15.75
DWIT-75-2	750	780	31.00	1480	58.50	400	15.75
DWIT-75-3	750	1000	39.50	1035	41.00	400	15.75
DWIT-100-1	1000	1060	42.00	1220	48.00	400	15.75
DWIT-150-1	1500	1230	48.50	1465	58.00	400	15.75
DWIT-150-2	1500	1200	47.50	1480	58.00	400	15.75
DWIT-200-1	2000	1300	51.50	1625	64.00	400	15.75
DWIT-250-1	2500	1390	55.00	1677	66.00	400	15.75
DWIT-300-2	3000	1670	66.00	1755	69.50	480	19.00
DWIT-400-1	4000	1850	73.00	1800	71.00	480	19.00
DWIT-500-1	5000	1880	74.00	2070	81.50	480	19.00
DWIT-750-1	7500	2000	79.00	2600	102.50	480	19.00
DWIT-1000-1	10000	2200	87.00	2840	112.00	480	19.00
DWIT-1500-1	15000	2560	101.00	3230	127.50	480	19.00
DWIT-2000-1	20000	2570	101.50	4240	167.00	480	18.90



INFRA PLASTIC TANK

- A Solid investment for a liquid reason.**
INFRA plastic tank is one long term investment in reliability as they are made from virgin polymers.
- UV Treatment for greater durability.**
Avoid direct exposure of loft tanks to sunlight.
- Prime raw material-tried and tested.**
The raw material is approved by the Food & Drug Authority.

INFRA LOFT TANKS - LIT SERIES

- Light weight for easy handling.**
- Maintenance Free**
- Saves time and energy**

A detailed installation. Manual is provided along with the tank



Code	Capacity (Ltrs.)	Length		Width		Height	
		mm	inch	mm	inch	mm	inch
LIT-15-1	150	920	36.50	455	18.00	420	17.00
LIT-22-1	220	1030	41.00	765	30.25	300	12.00
LIT-25-1	250	840	33.00	720	28.50	445	18.00
LIT-30-1-12	300	1200	47.25	865	34.00	300	12.00
LIT-30-2-17	300	1270	50.00	620	24.50	420	16.75
LIT-35-1	350	1220	48.00	910	36.00	335	13.50
LIT-40-1	400	1220	48.00	840	33.00	410	16.25
LIT-45-1	450	1300	51.25	900	35.50	390	15.50
LIT-50-1-12	500	1580	62.25	1145	45.00	315	12.50
LIT-50-2-16	500	1475	58.00	920	36.25	410	16.25
LIT-50-3-22	500	1215	48.00	910	36.00	530	21.00
LIT-65-1	650	1615	63.75	910	36.00	475	19.00
LIT-72-1	725	1520	60.00	910	36.00	535	21.00
LIT-80-1	800	1520	60.00	910	36.00	610	24.00
LIT-100-2-25	1000	1645	65.00	1140	45.00	615	24.25
LIT-100-1-26	1000	1820	72.00	890	35.00	625	25.00

INFRA HOUSEHOLD DRUMS CYLINDRICAL • HIT SERIES

Code	Capacity (Ltrs.)	Diameter		Height	
		mm	inch	mm	inch
HIT-10-1	100	450	18.00	710	28.00
HIT-15-1	150	520	20.50	760	30.00
HIT-22-1	225	560	22.00	960	38.00



Dealer's Name :



INFRA INDUSTRIES LIMITED

HO : Dhiraj Chambers, 7th Floor, 9 Hazarimal Somani Marg, Mumbai- 400 001.

Tel. 022-66348601, 07666746372 E-Mail : mktg@infra.co.in

CIN : L25200MH198PLC054503 Website : www.infra.co.in